











## REFERENCES

- [1] Soppa, T., *Qualitätssteigerung bei Horizontalbohrungen*, Fachbericht in 3R international (48) Heft 5, 2009
- [2] Yang Zhao, Yunyi Wang, *Three-dimensional finite element computation of electromagnetics for nondestructive testing*, Antennas and Propagation Society Int. Symposium, 1996
- [3] H.Tsuboi, T. Misaki, T. Kikuta, *Computation of three-dimensional electromagnetic field in the eddy-current testing of steel pipes*, IEEE Transcript on Magnetics, vol. 24, 6, 1988
- [4] Steffel KKS GmbH, *Infoblatt Pull and Check*, [http://www.kks.de/uploads/media/Infoblatt\\_PullCheck\\_Rev02\\_web.pdf](http://www.kks.de/uploads/media/Infoblatt_PullCheck_Rev02_web.pdf), downloaded 28.04.2015
- [5] Alleyne, D. N., Lowe, M. J. S. and Cawley, P., *The reflection of guided waves from circumferential notches in pipes*, ASME J. Applied Mechanics vol 65, 1998
- [6] Rose, J. L. and Ditri, J., *Pulse-echo and through transmission Lamb wave techniques for adhesive bond inspection*, British J. NDT, vol.34, 1992.
- [7] Cataldo, A., Cannazza, G. et al., *A New Method for Detecting Leaks in Underground Pipelines*, IEEE Sensors Journal, Vol. 12, No. 6, 2012
- [8] Araneo, R., Celozzi, S. et al., *Fault Detection in Conductive Pipelines by Time Domain Reflectometry*, Proceedings of the 5<sup>th</sup> WSEAS/IASME Int. Conf. on SYSTEMS THEORY and SCIENTIFIC COMPUTATION, 2005
- [9] Z. M. Pal, R. H. Johnston, *Simulation of pipeline holiday detection by time domain reflectometry*, IEEE Transcript on Industry Applications, vol 26, no.5,1990